

PCB Report #4

Groff, Paul <groff.paul@epa.gov>

Wed 9/19/2012 9:50 AM

To: Zhishi Guo <Guo.ZhishiLNDU@usepa.onmicrosoft.com>

Cc: Frank Princiotta <Princiotta.FrankLNDU@usepa.onmicrosoft.com>; McKinney, Doug <McKinney.Douglas@epa.gov>; Thompson, Bob <Thompson.Bob@epa.gov>; Liu, Xiaoyu <Liu.Xiaoyu@epa.gov>; Masters, John <Masters.John@epa.gov>

 1 attachments (22 KB)

Comments from ORD-01223 already cleared by APPCD Management.pdf;

Zhishi,

ORD-001223 did not have NRMRL management on the approval route due to a problem with the STICS program. There is no way to go back to the approval step once the last reviewer signs off on the document, so STICS created a new record, ORD-001877, which we will use for routing to NRMRL management. Bob, Douglas, and Frank can all approve this document without putting in comments as I have attached the comments from ORD-001223 (see attached file) to ORD-001877.

I hope this is not too confusing, but if everyone approves the document it can make it to NRMRL management today, it is currently with Bob Thompson for approval.

Regards,

Paul W. Groff

Acting Chief, Technical Services Branch, APPCD

Phone: (919) 541-0979

Fax: (919) 685-3220

U.S. Environmental Protection Agency

Attn: Paul W. Groff

Mail Code: E343-03

Research Triangle Park, NC 27711

<< Comments from ORD-01223 already cleared by APPCD Management.pdf >>